



# SPROUT NIP®

## EMULSIFIABLE CONCENTRATE



POTATO SPROUT INHIBITOR.  
ONE GALLON OF SPROUT NIP EMULSIFIABLE  
CONCENTRATE WILL TREAT 2,880 CWT OF  
POTATOES.

ACTIVE INGREDIENT:	BY Wt.
*Chlorpropham .....	36%
INERT INGREDIENTS: .....	64%
	TOTAL 100%

\*Isopropyl N-(3-chlorophenyl) carbamate  
Contains 3 pounds active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See Additional Precautionary Statements Below.

EPA REG. NO. 34704-613  
EPA EST. NO. 37507-MT-1  
NET CONTENTS 2½ GALS (9.46 L)  
IHT 09B93

**PRECAUTIONARY STATEMENTS**  
**HAZARD TO HUMANS & DOMESTIC ANIMALS**

### CAUTION

Harmful if swallowed. Do not take internally.  
Avoid contact with skin, eyes, or clothing.  
Avoid breathing of vapor or spray mist.

#### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Induce vomiting by placing fingers in back of throat. Get immediate medical attention. Never give anything by mouth to an unconscious person.  
**IF IN EYES:** Flush with plenty of water for at least 15 minutes and see a doctor.  
**IF ON SKIN:** Wash with plenty of soap and water and see a doctor if irritation persists.  
Note to Physicians: Emergency Information—call CHEMTREC (800) 424-9300.

#### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

#### STORAGE AND DISPOSAL

**PROHIBITIONS:** Keep container closed. Do not contaminate water, food, or feed by storage or disposal. This product inhibits germination of seed potatoes.

**STORAGE:** Avoid storage below freezing temperatures. Prolonged storage may cause crystal formation. Warming contents and agitation will restore material to usable condition, but do not heat above 250°F. For help with any spill, leak, fire or exposure to involving this material, call day or night CHEMTREC (800) 424-9300.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke. Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures allowed by state and local authorities.

#### NOTICE

SPROUT NIP® Emulsifiable Concentrate is used for treating potatoes after storage and washing. SPROUT NIP Emulsifiable Concentrate will prevent wound periderm formulation of potatoes, therefore, it should be used only after bruises and cuts have healed (normally minimum of two weeks).

Do Not apply in the field.

Do Not use on seed potatoes. This inhibition of sprouting at recommended rates is usually effective up to a year. Wash equipment thoroughly with soap and water before using for seed potatoes.

#### EQUIPMENT

SPROUT NIP Emulsifiable Concentrate is applied as a 1% emulsion on the drying table after the potatoes have been washed.


Spray nozzle should be set to spray evenly across rolls moving the potatoes.

Dryer rolls will distribute SPROUT NIP Emulsifiable Concentrate to assure complete coverage of each potato.

#### APPLICATION

Dilute SPROUT NIP Emulsifiable Concentrate to a 1% emulsion by adding 1 gallon of SPROUT NIP Emulsifiable Concentrate to 35 gallons of water. Agitate enough to form a uniform emulsion.

Apply at rate of 1 quart of 1% emulsion per 20 bags of potatoes (100 pounds per bag).



**SPROUT NIP®**  
**EMULSIFIABLE CONCENTRATE**  
EPA REG. NO. 34704-613

**NOTICE**

PLATTE WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF PLATTE. IN NO CASE SHALL PLATTE BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER.

EXCEPT AS EXPRESSLY PROVIDED HEREIN, PLATTE MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

FORMULATED FOR  
PLATTE CHEMICAL CO.  
150 SO. MAIN STREET      FREMONT, NEBRASKA 68025-5697